

REQUEST FOR PROPOSALS <u>Re-Tender</u>

PROCURMENT OF "AI CENTER"

(FOR Basis)

Estimated Price Rs. 4.63 Million

TENDER PRICE - Rs. 500/-

Late date of submission: December 27th, 2021 till 10:00 AM

FOR OFFICE USE ONLY

Serial No._____

Sold to:- M/S

 Date of Sale_____
 Bank Challan No. _____
 Date_____



TERMS AND CONDITIONS

OVERVIEW

KICS, UET, Lahore intends to purchase the equipment and other required items. The supplier will be responsible for delivery, installation (if required), wherever required in KICS, UET, LAHORE.

1. Proposal instructions (for BOQs in FOR)

- 1.1 Single stage / two envelope bidding procedure shall be applied in response to the RFP (Request for proposal). Each bid envelop shall comprise two envelope containing, separately, financial proposal and technical proposal (if any) plus "legible documents". The financials of bids found technically non responsive shall be returned unopened to the respective bidders.
- 1.2 Responding organizations shall deliver two sealed copies "one original and one photo copy" of the "FINANCIAL & TECHNICAL PROPOSAL" till December 27th 2021 up till 10:00 am, each copy being physically separate, bound, sealed and labeled. Proposals will not be accepted after the due time & date. Proposal shall be delivered at the address given below before time.

DIRECTOR KICS, UNIVERSITY OF ENGINEERING AND TECHNOLOGY (UET),

LAHORE. PHONE: (042)-99250247

1.3 Proposals received after the submission deadline will not be entertained under any circumstances and will be returned unopened to the submitting vendor. It is the sole responsibility of the participating vendor to ensure that the proposals are delivered before the deadline.

Any queries regarding this proposal should be directed to the designated contact person listed below:

For Details:

Mr. Muhammad A. Hassan Manager Procurement & Admin Contact Number # 042-99029450 Contact Number # 042 99250247



- 1.4 Price should be mentioned on FOR basis.
- 1.5 The prices must be quoted item wise, in the same sequence given in the specification part of the tender document.
- 1.6 The original Request for Proposal documents duly signed and officially sealed by the bidder must be submitted in whole with the proposals. Any conditional, ambiguous, incomplete, supplementary or revised offer after the opening of Bidding shall not be entertained.
- 1.7 Any overwriting/crossing, etc. appearing in the offer may be properly signed by the person signing the Bidding. All pages of the Bidding must be properly signed. Offer with any overwriting and discrepancy shall not be accepted in any circumstances.
- 1.8 Warranty for all equipment's, as approved by the manufacturers/suppliers, should not be less than one year Labor and Service on site.
- 1.9 A call deposit equal to 5% of the estimated bid price <u>(mentioned in the tender)</u> should accompanying the bidding document as **Earnest Money** drawn in favor of **Treasurer UET**, **Lahore**. The bidding document shall not be considered without Earnest Money. Bank guarantee will not be accepted. The earnest money will be released after signing the Agreement.
- 1.10 The Successful Bidder's bill will be deducted at a rate of 10% of the contract amount as Performance Guarantee / Security Deposit. The Performance Guarantee / Security Deposit will be returned after successful completion of Defect Liability/ Warranty Period, after repairing the defects in the equipment/ replacement found during the warranty period for FOR.
- 1.11 The Successful Bidder will deposit a blank stamp paper of value of 0.25% of the total offer/contract amount, purchased in the name of Director KICS (UET), Lahore.

1.12 Bidders are **allowed to submit Bids in partial.**

1.13 The quantity of an order may vary depending on the quoted prices and the allocated funds.



- 1.14 The decision of the committee will be a binding on all concerned and can be appealed in the grievance committee.
- 1.15 KICS, UET, Lahore reserves the right to modify the conditions / specifications of the Bidding Document with written intimation to all the participants those who have purchased the Bidding Documents.
- 1.16 Delivery period will be (60) days from the date of issuance of purchase order/supply order.
- 1.17 Delivery, Installation and Training (where mentioned) be completed according to the agreed upon schedule of works.
- 1.18 In case the Bidders fails to execute the contract strictly in accordance with the terms and conditions laid down in the contract, the Security Deposit shall be forfeited and the equipment will be purchased at his own risk and expenses.
- 1.19 The equipment will be inspected at KICS, UET, LAHORE, and may get rejected if not found in accordance to the stated specifications.
- 1.20 KICS, UET, Lahore reserves the right to claim compensation for the losses caused by delay in the delivery of equipment i.e., 1% of contract amount on weekly basis.
- 1.21 It is the sole responsibility of the vendor to comply with local, national and international laws.
- 1.22 Successful bidders may be asked to bring their supplies for demonstration and specification test in the KICS, UET, LAHORE, at their own expenses and risk.
- 1.23 Where reference is made to any specific national or international standards, equal or higher quality will also be acceptable. In case, your offer conforms to standards other than quoted in the Bidding inquiry you are required to submit the followings along with your bid.
 - One copy of those standards in English
 - Evidence that the standards used is recognized and authoritative to ensure equal or higher quality.



In case the bidder does not submit the required evidence and a copy of each of the standards, its Bid may not be considered.

- 1.24 In case any supplies/material is found not in conformity with the specifications provided in the Bidding, either on account of inferior quality, defective workmanship, faulty design, faulty packing or is short supplied, or wrongly supplied, the supplier will replace the same fee of charges or pay the full cost of replacement.
- 1.25 The all proposals submitted will become the property of the University.
- 1.26 Possessing/Providing Dealership Certificate.

2. Evaluation Criteria

All bids shall be evaluated on technical and financial responsiveness. Technical evaluation process may include, but not limited to the consideration of the following with respect to the functional requirements given ahead:

- 2.1. Technical specifications of proposed equipment's
- 2.2. Best warranty of the equipment

Financial Evaluation process may include, but not limited to the consideration of the following:

- 2.3 Quoted price
- 2.4 CDR (5% of estimated price mentioned in the tender)

3 Required Information

Bidders are required to include the following documents/information in their technical proposals (all documents should be duly signed and stamped)

- i. The Name and Address
- ii. Profile of company (Including Financial Profile)
- iii. List of Pervious/Current customer of related equipment's, with contact person and telephone/fax#
- iv. Detailed product information/brochures
- v. Detailed product warranty/guarantee information



- vi. Attested copy of National Tax Registration Certificate
- vii. Attested copy of Sales Tax Registration Certificate
- viii. Detailed backup support plan
 - ix. Bank letter of financial standing
 - x. An Affidavit on Rs.100/- Stamp paper that currently they are not black listed or debarred by any Government/Semi Government department to participate in bidding and to supply equipment. Failure to submit such affidavit may lead to disqualification.
- xi. Any additional information the bidder may like to furnish e.g. repair/maintenance workshop owned by supplier and other concerned facility
- xii. Dealership Certificate.

In addition to the above, the proposal must include the following in the order given below:

- i. Detailed equipment specifications, proposed quantities duly filled on the Performa attached with this document
- ii. Detailed project implementation schedule which includes the delivery of equipment
- iii. Terms and Conditions
- iv. Equipment prices (FOR) duly entered.
- v. Validity period of the quoted price, i.e. 60 days
- vi. Educational discounts if available/applied to the quoted price

4 Terms and Conditions (FOR Basis)

4.1 All prices should be in PAK rupees exclusive of Taxes. GST and /or other Tax amount where applicable should be mentioned in separate column(s) and the total given in a separate column.



- 4.2 All prices should be valid for at least 60 days. Withdrawal or any modification of the original offer within the validity period shall entitle KICS, UET. LAHORE to forfeit the earnest money in favor of the KICS, UET, LAHORE and/or putting a ban on the future inquires or taking any other suitable action against the bidder.
- 4.3 Delivery of the items will be free of charge at the KICS, UET, LAHORE during the office hours with a copy of delivery challan.
- 4.4 Items being ordered should be brand new and according to order specification from the current production and covered under normal warranty/guarantee etc. as mentioned in the proposal. Brochures of the product details must be attached.

Name of Vendor
Authorized person
Authorized Signature
Stamp
Office address
Tel No
Fax No

(The filled in Bidding Document should be forwarded to KICS, UET, Lahore with covering letter).



Technical Specifications (Equivalent Or Higher) FOR BASIS

Sr.	Description	Estimated Amount in Million (PKRs)
1	VOIP Router and Recorder	0.2
2	High Quality Large Display screens	0.35
3	Tablets for Testing	0.3
4	Sound Producing Equipment High Quality	0.15
5	Pen Tablets	0.5
6	Night Vision Cameras	0.2
7	Development Board	0.2
8	IMU sensors	0.05
9	Digital Sound Mixer and Voice Changer	0.2
10	Game Development software pro	0.2
11	Tracking Equipment (Indoor/Outdoor)	0.08
12	Smart Sensors	1
13	Smart Switches	1.2
	Estimated Total Equipment Cost Rs Million	4.63 M

Technical Specification (Equivalent or Higher)

Sr. No	Description	Amount in Million (PKRs)	Quantity	Technical Specification	Description
1	VOIP Router and Recorder	0.2	3	 VOIP Router: Dual Gigabit Ethernet WAN ports for failover and load-balancing Two USB 2.0 ports for connection to Two 3G/4G LTE USB modems, FTP server and network printer Fifty VPN tunnels with comprehensive secure protocols Advanced VPN load-balancing and site-to-site backup functions Integrated IEEE 802.11ac wireless Access Point; dual band; up to 1300Mbps throughput Supports Central Management system for multi-site deployment VoIP (2 x FXS and 1 x FXO Line Port) Object-based Firewall and CSM (Content Security Management) for network security Multiple VLANs provide secure and efficient workgroup management Five Gigabit LAN ports with multiple subnets Embedded Central AP Management for Vigor wireless Access Points 	For call recording and monitoring and for the voice analysis
2	High Quality Large Display Screens	0.35	10	32" LED TV 1080p	For display of video data and live streams.
3	Tablets for Testing	0.3	1,1	 Android Tab or equivalent Android 7.0 Processor Processor Speed, Type Quad Core(2.15 GHz + 1.6 GHz Quad), Qualcomm APQ8096 Wi-Fi yes Weight: 0.95 lbs Product Dimensions (inches) 	For testing of different applications

 9.34" x 6.65" x 0.24" Camera resolution (Front): 5MP FF
 Camera resolution (Rear): 13MP AF with Flash
 Digital Optical Zoom X8 (Digital)
 F1.9 (Rear) / F2.2 (Front)
 Battery Type and Size:Li-Ion 6000mAh
 ENERGY STAR® Certified: Yes
• Internal Memory: 4GB(RAM) + 32 GB
 External Memory/microSDTM Capacity: microSD up to 400GB
 USB Type-C (3.1)
 Bluetooth v4.2
Bluetooth
Profiles:A2DP,AVRCP,DI,HFP,HID,HOGP,HSP,MAP,OPP,PAN,P
BAP
• Earjack:3.5mm Stereo
 Wi-Fi Direct:Yes
 Display: Main Display Resolution 2048 x 1536 (QXGA)
 Main Display Size: 9.7"
 Main Display Size: 9.7 Main Display Technology: Super AMOLED
 S Pen Support: Yes (Included)
 Audio Streaming, Music Player
• Audio Playing Format:
MP3,M4A,3GA,AAC,OGG,OGA,WAV,WMA,AMR,
AWB,FLAC,MID,MIDI,XMF,MXMF,IMY,RTTTL,RTX,OTA
 Speaker: Quad Speakers (DSL Type 1709 3.0t)
 Video Streaming, Video Player
• Video Playing Format: MP4, M4V, 3GP, 3G2, WMV,
ASF,AVI,FLV,MKV,WEBM
• Sensor Type: Accelerometer, Fingerprint Sensor, Gyro
Sensor, Geomagnetic Sensor, Hall Sensor, RGB Light Sensor
Power Adapter
2. Tablet (Apple 8 th gen or equivalent)
• Technology GSM / CDMA / HSPA / EVDO / LTE
• Dimensions 240 x 169.5 x 7.5 mm (9.45 x 6.67 x 0.30 in)
• Weight 469 g (Wi-Fi) / 478 g (LTE) (1.05 lb)

	 Front glass, aluminum body Nano-SIM/ Electronic SIM card (Apple e-SIM) Stylus support LED-backlit IPS LCD, capacitive touchscreen, 16M colors Size 9.7 inches, 291.4 cm2 (~71.6% screen-to-body ratio) Resolution 1536 x 2048 pixels, 4:3 ratio (~264 ppi density) Multitouch: Yes Protection: Scratch-resistant glass, oleophobic coating OS: iOS 11.3 Chipset: Apple A10 Fusion CPU:Quad-core 2.34 GHz (2x Hurricane + 2x Zephyr) GPU:PowerVR Series7XT Plus (six-core graphics) Internal 32 2 GB RAM CAMERA Primary 8 MP (f/2.4, 31mm, 1.12 µm), autofocus Geo-tagging, touch focus, face/smile detection, HDR (photo/panorama) Video 1080p@30fps, 720p@120fps, HDR, stereo sound rec. Secondary 1.2 MP (f/2.2, 31mm), 720p@30fps, face detection, HDR, FaceTime over Wi-Fi or Cellular Loudspeaker Yes, with stereo speakers 3.5mm jack - Active noise cancellation with dedicated mic WLAN Wi-Fi 802.11 a/b/g/n/ac, dual-band, hotspot Bluetooth 4.2, A2DP, EDR, LE GPS Yes, with A-GPS, GLONASS (Wi Fi + Cellular model only) USB 2.0, proprietary reversible connector Sensors Fingerprint (front-mounted), accelerometer, gyro, compass, barometer iMessage, Email, Push Email, IM, Browser HTML5 (Safari) - Siri natural language commands and dictation - iCloud cloud service - MP3/WAV/AAX+/AIFF/Apple Lossless player - MP4/H.264 player - Audio/video/photo editor - Document editor Non-removable Li-Ion battery (32.4 Wh) Talk time Up to 10 h (multimedia) 	

 Audio Decoding LPCM (2CH / 5.1CH / 7.1CH) LPCM (2ch) DOLBY® DIGITAL Yes 	For producing and analysis of voice, call and audio etc
• LPCM (2CH / 5.1CH / 7.1CH) LPCM (2ch)	
 DVD Yes CD Yes USB FILE SYSTEM (FAT32, NTFS) Yes(FAT12/16/32) Audio Decoding LPCM (2CH / 5.1CH / 7.1CH) LPCM (2ch) 	
 CD Yes USB FILE SYSTEM (FAT32, NTFS) Yes(FAT12/16/32) Audio Decoding LPCM (2CH / 5.1CH / 7.1CH) LPCM (2ch) 	
 USB FILE SYSTEM (FAT32, NTFS) Yes(FAT12/16/32) Audio Decoding LPCM (2CH / 5.1CH / 7.1CH) LPCM (2ch) 	
 Audio Decoding LPCM (2CH / 5.1CH / 7.1CH) LPCM (2ch) 	
• LPCM (2CH / 5.1CH / 7.1CH) LPCM (2ch)	
DOLBY® DIGITAL Yes	
DOLBY® PROLOGIC Yes	

5	Pen Tablets	0.5	1,1,2	Pen Tablet (Apple or equivalent)	For Software
		0.5	1,1,4	 2.8GHz quad-core 7th-generation Intel Core i7 processor 	development and
				 Turbo Boost up to 3.8GHz 	testing purpose
				 16GB 2133MHz LPDDR3 memory 	assung purpose
				 256GB SSD storage1 	
				 Radeon Pro 555 with 2GB memory 	
				• Four Thunderbolt 3 ports	
				• Touch Bar and Touch ID	
				• Battery and Power: Up to 10 hours wireless web	
				• Up to 10 hours iTunes movie playback	
				• Up to 30 days of standby time	
				• Built-in 76.0-watt-hour lithium-polymer battery	
				• 87W USB-C Power Adapter	
				Don Tablet (Andreid er equivalent)	
				Pen Tablet (Android or equivalent)	
				• Up to 8th Generation Intel® Core™ i7-8550U Processor (1.80GHz	
				8MB) • 7th Constantian Intol® ConstM :7 7500U Processor (2 70CHz 4MP)	
				 7th Generation Intel® Core™ i7-7500U Processor (2.70GHz 4MB) Operating Statement 10 House 	
				• Operating System Windows 10 Home	
				• Display ? 15.6" FHD (1920 x 1080) IPS Anti-Glare	
				Multitouch with integrated camera	
				• Graphics	
				Intel® UHD Graphics 620 Intel® UD Craphics 620	
				Intel® HD Graphics 620 Compare HD 720	
				• Camera HD 720p	
				Memory ? Up to 16GB DDR4 2133 MHz	
				• Storage ?	
				• Up to 1TB 5400 RPM	
				Up to 512GB PCIe SSD Dettern FUD Medeler Up to 10.5 hours	
				Battery FHD Models: Up to 10.5 hours	
				Active Pen No Active Pen	
				Audio	
				Harman speaker	
				Dolby® Audio Premium	
				Security Fingerprint reader with Windows Hello	
				Ports	

				 2 x USB 3.0 (1 x charger) USB Type-C Card reader HDMI Audio jack WiFi ? 802.11 AC (2 x 2) WiFi + Bluetooth® 4.1 Weight Starting at 4.4 lbs (2 kg) Colors Black Pen Tablet (Wacom Cintiq Pro or Equivalent) Screen size: 13.3 in (33.8 cm) (diagonal) Size: 360 x 235 x 13.9mm (14.2 x 9.3 x .55 in) Color performance: 16.7 million colors; 87% Adobe RGB Resolution: Full HD (1920 x 1080) Pen pressure levels: 8192 Pen tilt ExpressKeysTM: 17 on optional ExpressKey Remote Multi-touch: yes Pen stand Integrated pop-out legs for 20 degree angle 3 position optional adjustable stand Compact slim design 	
6	Night vision cameras	0.2	1	 Starlight technology 1080P @ 30 FPS; 1920 × 1080 Detect: up to 125 ft Recognize: up to 75 ft Identify: up to 50 ft Alarm Input and Output Audio Input and Output Micro-SD Card Slot Temperature rated from -40°F to 140 °F Humidity rated between 10 and 95% 	For recording videos and making our own datasets
7	Development boards	0.2	5	Jetson Nano 1. 4GB Ram	Embedded System

					Development
8	IMU Sensors	0.05	2	Inertial measurement Sensor	Required for
				• Mode	recording a range
				 Logging (data is saved in local memory) sensor 	of biomedical
				 Streaming (data is sent live to your device) sensor 	signals in the lab
				• Connectivity	wirelessly. Body
				– Bluetooth LE 4.2 – 2.4Ghz	sensor networks
				 Up to 100ft of range – typical 10m 	have many
				 Stream sensor Data from 1 Hz to 100 Hz 	applications in
				 Log sensor Data from 1 Hz to 400 Hz 	human activity

$- \operatorname{RGB} \operatorname{LED} - \operatorname{Micro push-button} - 12C + 4 \operatorname{GPIos} - 212C + 4 \operatorname{GPIos} - 38 \operatorname{MB} \operatorname{NOR} FLASH - \operatorname{Off board} - 100K - 500K sensor data entries with timestamps - 200 - 220mAH CR2032 Coin cell battery - not rechargeable (included) - Accelerometer Accelerometer (A): 16 bit - ±2g: 16384LSB/g - ±4g: 8192LSB/g - ±4g: 8192LSB/g - ±4g: 2048LSB/g - ±16g: 2048LSB/g - 16g: 2048LSB/g - 150g: 2048LSB/g - 150g: 2048LSB/g - 50g: 2068LSB/g - 50g: 2068LSB -$		 I2C + 4 GPIOs Logging / Memory Streaming AND Logging Sensor 8MB NOR FLASH – Off board 100K - 500K sensor data entries with timestamps Battery 200 - 220mAH CR2032 Coin cell battery – not rechargeable (included) Accelerometer Accelerometer (A): 16 bit ±2g: 16384LSB/g ±4g: 8192LSB/g ±4g: 4096LSB/g ±16g: 2048LSB/g bise density (typ.): 180 µg/√Hz Gyroscope Gyroscope (G): 16bit ±125°/s: 262.4 LSB/°/s ±500°/s: 131.2 LSB/°/s ±1000°/s: 32.8 LSB/°/s ±1000°/s: 32.8 LSB/°/s ±2000°/s: 16.4 LSB/°/s Noise density (typ.): 0.008 °/s/√Hz Magnetometer Magnetometer(T): 16bit ±1300µT (x,y-axis) range ±2500µT (z-axis) range Resolution: 0.3µT 	recognitions, assistive technologies, and healthcare
--	--	---	---

				 3001100 hPa Resolution: 0.01 hPa (< 10 cm if calibrated) Sensor Fusion Advanced 9-axis sensor fusion algorithms Fast in-use background calibration of all sensors and calibration monitor Enhanced magnetic distortion detection and suppression Real-time motion tracking due to built-in group delay compensation Gyroscope drift cancellation Supports various power modes for switching on/off sensors and algorithm modules 	
9	Digital sound mixer and Voice changer	0.2	1	1) Roland VT-4 Sound Transformer	working with sound and speech signals for crime investigation
10	Game Development softwares pro	0.2	1	 Unity Professional Bundle Corona Professional Bundle Apple Developer Account 	For generating gaming and virtual environments
11	Tracking equipment (Indoor/Outd oor)	0.08	1	 Pozyx Ready to Localize or equivalent Accurate 2D and 3D indoor and outdoor positioning Accurate motion sensing (using 9-axis sensor fusion) Accurate ranging with the anchors Arduino and Raspberry pi compatible Simple installation Wireless communication between all devices Position Accuracy 10 cm Update Rate: 140 Hz. 	For tracking humans
12	Smart Sensors	1	1, 4	 LIDAR TF02 (ToF) Laser Rangefinder or equivalent Detection Range: 0.3-10m, Power: 5VDC, <200ma, Interface: UART/CAN, Measuring Speed: Default 100Hz (maximum: 500Hz) Human Activity Sensing device Engine Specs: 3584NVIDIA CUDA® Cores or equivalent 1582Boost Clock (MHz) 	Motion, temperature, acoustic sensors etc

	Memory Specs:11 GbpsMemory Speed11 GB GDDR5XStandard Memory Config352-bitMemory Interface Width484Memory Bandwidth (GB/sec)Technology Support:YesSimultaneous Multi-ProjectionYesVR ReadyYesNVIDIA AnselYes - SLI HB Bridge SupportedNVIDIA SLI® Ready1	
--	---	--

			 YesNVIDIA G-SYNCTM-Ready YesNVIDIA GameStreamTM-Ready 3.0NVIDIA GPU BoostTM 12 API with feature level 12_1Microsoft DirectX YesVulkan API 4.5OpenGL PCIe 3.0Bus Support Windows 7-101, Linux, FreeBSDx86OS Certification Display Support: 7680x4320@60HzMaximum Digital Resolution2 DP 1.43, HDMI 2.0bStandard Display Connectors YesMulti Monitor 2.2HDCP Graphic Card Dimensions: 4.376"Height 10.5"Length 2-SlotWidth Thermal and Power Specs: 91Maximum GPU Temperature (in C) 250 WGraphics Card Power (W) 600 WRecommended System Power (W)4 	
13 Smart Switches	1.2	1) 2 2)2 3)6	 One 6-pin, One 8-pin Supplementary Power Connectors 1. Amazon Echo Plus or equivalent 9.2" x 3.3" x 3.3" dimensions 33.6 Oz weight Control smart home devices Streaming wifi music Play videos Dual speakers with romm0-filling sound Line-out with 3.5mm cable or Bluetooth 2.5" woofer and 0.8" tweeter 2. Amazon Echo Spot or equivalent 1.3" x 3.3" x 3.3" dimensions 5.7 Oz weight 	Switches for recording automatic breach data and behavior analysis